

**INVENTORY LIST**



INVENTORY ITEM	APPROVAL NUMBER	SUBSTANCE STATE	AMOUNT / MAX STORAGE CAPACITY	UN NUMBER
----------------	-----------------	-----------------	-------------------------------	-----------

1. Dulux Spraypak Dazzle	HSR002515	Aerosol	0.888 L	1950
--------------------------	-----------	---------	---------	------

<b>Substance Location:</b>	On site
<b>Hazard Classifications:</b>	2.1.2A, 6.1E, 6.3B, 6.4A, 6.9A
<b>Incompatible with:</b>	Sika Crystal Clear MS; Sika Nailbond SB
<b>Storage &amp; Segregation</b>	Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Store away from sources of heat or ignition. Keep containers closed when not in use - check regularly for leaks.

2. Dunlop Postcrete	HSR002545	Solid	60 kg	
---------------------	-----------	-------	-------	--

<b>Substance Location:</b>	On site
<b>Hazard Classifications:</b>	6.1E, 6.3A, 6.5B, 6.7A, 6.9B, 8.3A
<b>Storage &amp; Segregation</b>	WARNING: Avoid or control reaction with peroxides. All transition metal peroxides should be considered as potentially explosive. For example transition metal complexes of alkyl hydroperoxides may decompose explosively. The pi-complexes formed between chromium(0), vanadium(0) and other transition metals (haloarene-metal complexes) and mono-or poly-fluorobenzene show extreme sensitivity to heat and are explosive. Avoid strong acids, acid chlorides, acid anhydrides and chloroformates. Avoid contact with copper, aluminium and their alloys.

3. Eversure Cement Type GP (Golden Bay Portland Cements)	HSR002542	Solid	750 kg	
--	-----------	-------	--------	--

<b>Substance Location:</b>	On site
<b>Hazard Classifications:</b>	6.9B, 8.2C, 8.3A, 9.1D
<b>Storage &amp; Segregation</b>	Keep out of reach of children. Ensure packaging is labelled, protected from physical damage and sealed when not in use. Prevent product from being exposed to high humidity and moisture. Store locked up in a cool, dry, well-ventilated area. Keep away from oxidising agents, acids, ethanol, inter-halogens and foodstuffs.

INVENTORY ITEM	APPROVAL NUMBER	SUBSTANCE STATE	AMOUNT / MAX STORAGE CAPACITY	UN NUMBER
4. Gorilla FR Expanding Foam	HSR002515	Aerosol	2.25 L	1950
<b>Substance Location:</b> On site <b>Hazard Classifications:</b> 2.1.2A, 6.1D, 6.3A, 6.4A, 6.5A, 6.5B, 6.9A <b>Incompatible with:</b> Sika Crystal Clear MS; Sika Nailbond SB <b>Storage &amp; Segregation</b> Aerosol dispenser. Check product is clearly labeled.				
5. Gorilla Nailpower Expanding Foam Cleaner	HSR002515	Aerosol	0.5 L	1950
<b>Substance Location:</b> On site <b>Hazard Classifications:</b> 2.1.2A, 6.1E, 6.3B, 6.4A <b>Incompatible with:</b> Sika Crystal Clear MS; Sika Nailbond SB <b>Storage &amp; Segregation</b> Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Store in a cool area or fire proof storeroom. Do not exceed legal requirements for storage. Store for a maximum of one year.				
6. Holdfast Gorilla Grip 1 Hour Cure Construction Adhesive	HSR002670	Liquid	0.31 L	
<b>Substance Location:</b> On site <b>Hazard Classifications:</b> 6.1D, 6.3A, 6.4A, 6.5A, 6.5B, 6.9A <b>Storage &amp; Segregation</b> Check that containers are clearly labelled. Avoid elevated temperatures and open flames. Avoid oxidising agents (nitrates, oxidising acids, chlorine bleaches etc.) as ignition may result.				
7. Quik Concrete Cleaner and Etcher	HSR002526	Liquid	4 L	1789
<b>Substance Location:</b> On site <b>Hazard Classifications:</b> 6.1D, 8.1A, 8.2B, 8.3A, 9.3C <b>Storage &amp; Segregation</b> Store tightly closed, in a cool place and out of direct sunlight. Store locked up. Store away from sources of heat or ignition, strong alkalis and oxidizing agents. Store in original packages as approved by manufacturer.				

INVENTORY ITEM	APPROVAL NUMBER	SUBSTANCE STATE	AMOUNT / MAX STORAGE CAPACITY	UN NUMBER								
8. Sika Crystal Clear MS	HSR002657	Liquid	0.3 L									
<table border="0"> <tr> <td><b>Substance Location:</b></td> <td>On site</td> </tr> <tr> <td><b>Hazard Classifications:</b></td> <td>3.1D, 6.3B, 6.8B</td> </tr> <tr> <td><b>Incompatible with:</b></td> <td>Dulux Spraypak Dazzle; Gorilla FR Expanding Foam; Gorilla Nailpower Expanding Foam Cleaner</td> </tr> <tr> <td><b>Storage &amp; Segregation</b></td> <td>Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</td> </tr> </table>					<b>Substance Location:</b>	On site	<b>Hazard Classifications:</b>	3.1D, 6.3B, 6.8B	<b>Incompatible with:</b>	Dulux Spraypak Dazzle; Gorilla FR Expanding Foam; Gorilla Nailpower Expanding Foam Cleaner	<b>Storage &amp; Segregation</b>	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
<b>Substance Location:</b>	On site											
<b>Hazard Classifications:</b>	3.1D, 6.3B, 6.8B											
<b>Incompatible with:</b>	Dulux Spraypak Dazzle; Gorilla FR Expanding Foam; Gorilla Nailpower Expanding Foam Cleaner											
<b>Storage &amp; Segregation</b>	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.											
9. Sika Nailbond SB	HSR002662	Liquid	0.375 L	1133								
<table border="0"> <tr> <td><b>Substance Location:</b></td> <td>On site</td> </tr> <tr> <td><b>Hazard Classifications:</b></td> <td>3.1B, 6.1E, 6.3A, 6.4A, 6.8B, 6.9B</td> </tr> <tr> <td><b>Incompatible with:</b></td> <td>Dulux Spraypak Dazzle; Gorilla FR Expanding Foam; Gorilla Nailpower Expanding Foam Cleaner</td> </tr> <tr> <td><b>Storage &amp; Segregation</b></td> <td>Store in original container. Store in cool place. Keep in a well-ventilated place. Observe label precautions.</td> </tr> </table>					<b>Substance Location:</b>	On site	<b>Hazard Classifications:</b>	3.1B, 6.1E, 6.3A, 6.4A, 6.8B, 6.9B	<b>Incompatible with:</b>	Dulux Spraypak Dazzle; Gorilla FR Expanding Foam; Gorilla Nailpower Expanding Foam Cleaner	<b>Storage &amp; Segregation</b>	Store in original container. Store in cool place. Keep in a well-ventilated place. Observe label precautions.
<b>Substance Location:</b>	On site											
<b>Hazard Classifications:</b>	3.1B, 6.1E, 6.3A, 6.4A, 6.8B, 6.9B											
<b>Incompatible with:</b>	Dulux Spraypak Dazzle; Gorilla FR Expanding Foam; Gorilla Nailpower Expanding Foam Cleaner											
<b>Storage &amp; Segregation</b>	Store in original container. Store in cool place. Keep in a well-ventilated place. Observe label precautions.											
10. Sikaflex MS	HSR002670	Liquid	0.375 L									
<table border="0"> <tr> <td><b>Substance Location:</b></td> <td>On site</td> </tr> <tr> <td><b>Hazard Classifications:</b></td> <td>6.4A, 6.5B</td> </tr> <tr> <td><b>Storage &amp; Segregation</b></td> <td>Keep container tightly closed in a dry and well-ventilated place.</td> </tr> </table>					<b>Substance Location:</b>	On site	<b>Hazard Classifications:</b>	6.4A, 6.5B	<b>Storage &amp; Segregation</b>	Keep container tightly closed in a dry and well-ventilated place.		
<b>Substance Location:</b>	On site											
<b>Hazard Classifications:</b>	6.4A, 6.5B											
<b>Storage &amp; Segregation</b>	Keep container tightly closed in a dry and well-ventilated place.											
11. Sikanol M	HSR002544	Liquid	20 L									
<table border="0"> <tr> <td><b>Substance Location:</b></td> <td>On site</td> </tr> <tr> <td><b>Hazard Classifications:</b></td> <td>6.3A, 6.4A, 9.1D</td> </tr> <tr> <td><b>Storage &amp; Segregation</b></td> <td>Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.</td> </tr> </table>					<b>Substance Location:</b>	On site	<b>Hazard Classifications:</b>	6.3A, 6.4A, 9.1D	<b>Storage &amp; Segregation</b>	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.		
<b>Substance Location:</b>	On site											
<b>Hazard Classifications:</b>	6.3A, 6.4A, 9.1D											
<b>Storage &amp; Segregation</b>	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.											
12. Sikasil AP	HSR002670	Liquid	0.6 L									
<table border="0"> <tr> <td><b>Substance Location:</b></td> <td>On site</td> </tr> <tr> <td><b>Hazard Classifications:</b></td> <td>6.4A, 6.5B, 9.4A</td> </tr> <tr> <td><b>Storage &amp; Segregation</b></td> <td>Keep container tightly closed in a dry and well-ventilated place.</td> </tr> </table>					<b>Substance Location:</b>	On site	<b>Hazard Classifications:</b>	6.4A, 6.5B, 9.4A	<b>Storage &amp; Segregation</b>	Keep container tightly closed in a dry and well-ventilated place.		
<b>Substance Location:</b>	On site											
<b>Hazard Classifications:</b>	6.4A, 6.5B, 9.4A											
<b>Storage &amp; Segregation</b>	Keep container tightly closed in a dry and well-ventilated place.											

INVENTORY ITEM	APPROVAL NUMBER	SUBSTANCE STATE	AMOUNT / MAX STORAGE CAPACITY	UN NUMBER
13. Sikasil Wet Areas	HSR002670	Liquid	0.3 L	

**Substance Location:** On site

**Hazard Classifications:** 6.3B

**Storage & Segregation** Keep container tightly closed in a dry and well-ventilated place. Avoid moisture.

# HAZARDOUS SUBSTANCES CONTROLS

## HAZARDOUS SUBSTANCES CONTROLS & MESSAGES

## CONTRIBUTING SUBSTANCES

### Health Risks

The substances listed below have the potential to affect the health of your workers. If you can't eliminate the substance or substitute for a less hazardous one then you will need to minimise the risks.

Refer to the [Manage Hazardous Substance Risks](#) section of [Your Practical Guide](#)

6.1 – This substance is acutely toxic

6.3 - This substance is irritating to the skin

6.4 - This substance is irritating to the eyes

6.5 - This substance is a sensitiser

6.6 - This substance can cause mutation

6.7 - This substance can cause cancer

6.8 - This substance can cause adverse reproductive or developmental effects

6.9 - This substance can cause adverse effects on human body organs or systems

The "A" indicates the degree of hazard. An "A" classification is generally of a higher hazard than "B" which is a higher hazard than "C" and so on.

- Dulux Spraypak Dazzle
- Gorilla FR Expanding Foam
- Gorilla Nailpower Expanding Foam Cleaner
- Dunlop Postcrete
- Eversure Cement Type GP (Golden Bay Portland Cements)
- Holdfast Gorilla Grip 1 Hour Cure Construction Adhesive
- Quik Concrete Cleaner and Etcher
- Sika Crystal Clear MS
- Sika Nailbond SB
- Sikaflex MS
- Sikanol M
- Sikasil AP
- Sikasil Wet Areas

### Generic Controls

If you are using, storing or manufacturing hazardous substances there are a number of controls that will apply to all the substances you hold.

#### Inventory

You must prepare and maintain an inventory of all your hazardous substances.

[Regulation 3.1](#)

#### Personal protective Equipment

Personal protective equipment must be used to minimise risks to health and safety.

[Regulation GRWM Reg 15](#)

#### Safety data sheet

You must have a safety data sheet for all substances listed on your inventory except hazardous waste.

[Regulation 2.11](#)

#### Training and Supervision of Workers

Every worker must be trained and supervised appropriately.

[Regulation 4.5](#)

#### Labelling

All hazardous substances should be appropriately labelled including substances you have decanted, transferred, manufactured (even for your own use) or have been supplied to you.

[Regulation 2.1](#)

#### Packaging

All hazardous substances should be appropriately packaged including substances you have decanted, transferred, manufactured for your own use or have been supplied to you.

[Regulation 2.12](#)

**Hazardous Areas**

You may need to establish a hazardous area.

- Dulux Spraypak Dazzle
  - Gorilla FR Expanding Foam
  - Gorilla Nailpower Expanding Foam Cleaner
  - Sika Nailbond SB
- 

**Secured Substances**

These substances must be secured from access by persons other than those permitted by the PCBU to access the substance.

- Dunlop Postcrete